

WHAT IS CLAIMED IS:

- Sub  
Q. 1
- 1 1. An apparatus, comprising:
    - 2 a housing;
    - 3 a power supply enclosed in the housing; and
    - 4 a bus hub enclosed in the housing.
  - 1 2. The apparatus of claim 1, wherein the bus hub further comprises an upstream  
2 port.
  - 1 3. The apparatus of claim 1, wherein the bus hub comprises;  
2 at least one downstream port to connect to at least one downstream device.
  - 1 4. The apparatus of claim 1, wherein the bus hub is self powered.
  - 1 5. The apparatus of claim 1, wherein the bus hub is bus powered.
  - 1 6. The apparatus of claim 2, further comprising:  
2 a hub repeater connected to the upstream port.
  - 1 7. The apparatus of claim 2, further comprising:  
2 a downstream receptacle connected to both the power supply and the bus hub.
  - 1 8. The apparatus of claim 7, further comprising a cable connected to the  
2 downstream receptacle, wherein the cable further comprises:
    - 3 a device power wire;
    - 4 a device ground wire;
    - 5 a computer power wire;
    - 6 a computer ground wire; and
    - 7 a plurality of signal wires.

- 1 9. The apparatus of claim 8, wherein the plurality of signal wires further  
2 comprises a signal twisted pair.
- 1 10. The apparatus of claim 8, wherein the plurality of signal wires further  
2 comprises a fiber optic channel.
- 1 11. The apparatus of claim 1, wherein the power supply further comprises an  
2 alternating current to direct current converter.
- 1 12. A computing unit, comprising:  
2 a computer comprising:  
3 an upstream receptacle to deliver data signals to the computer,  
4 a power receptacle to deliver electrical power to the computer; and  
5 a power hub coupled to the upstream receptacle and the power receptacle via a  
6 cable, wherein the power hub comprises:  
7 a housing,  
8 a power supply enclosed in the housing, and  
9 a bus hub enclosed in the housing.
- 1 13. The computing unit of claim 11, wherein the cable further comprises:  
2 a device power wire;  
3 a device ground wire;  
4 a computer power wire;  
5 a computer ground wire; and  
6 a plurality of signal wires.
- 1 14. The computing unit of claim 13, wherein the plurality of signal wires  
2 comprises a twisted pair.

- 1 15. The computing unit of claim 13, wherein the plurality of signal wires  
2 comprises a fiber optic channel.
- 1 16. The computing unit of claim 12, wherein the bus hub further comprises an  
2 upstream port.
- 1 17. The computing unit of claim 12, wherein the bus hub further comprises;  
2 at least one downstream port to connect to at least one downstream device.
- 1 18. The computing unit of claim 12, wherein the bus hub further comprises:  
2 a hub repeater connected to the upstream port.
- 1 19. The computing unit of claim 12, wherein the bus hub is self powered.
- 1 20. The computing unit of claim 12, wherein the bus hub is bus powered.
- 1 21. A cable comprising:  
2 a device power wire;  
3 a device ground wire;  
4 a computer power wire;  
5 a computer ground wire; and  
6 a plurality of signal wires.
- 1 22. The cable of claim 21, wherein the cable further comprises:  
2 an upstream plug to connect to both an upstream bus receptacle and a power  
3 receptacle, wherein the power receptacle draws electric power from the computer  
4 power wire.

1 23. The cable of claim 21, further comprising:  
2 a downstream plug to electrically connect to both a downstream bus receptacle  
3 and a power receptacle, wherein the power receptacle is to supply electric power to  
4 the computer power wire, and wherein the downstream bus receptacle is connect to  
5 the device power wire, the device ground wire, and the plurality of signal wires.

1 24. The cable of claim 13, wherein the plurality of signal wires comprises a  
2 twisted pair.

1 25. The cable of claim 13, wherein the plurality of signal wires comprises a fiber  
2 optic channel.

Ad2B1